



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/655,596	09/06/2000	William F. Beausoleil	POU9-2000-0048-US1	9320
34313	7590	11/15/2005	EXAMINER	
ORRICK, HERRINGTON & SUTCLIFFE, LLP IP PROSECUTION DEPARTMENT 4 PARK PLAZA SUITE 1600 IRVINE, CA 92614-2558			VU, TUAN A	
			ART UNIT	PAPER NUMBER
			2193	
DATE MAILED: 11/15/2005				

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 09/655,596	<b>Applicant(s)</b> BEAUSOLEIL ET AL.	
	<b>Examiner</b> Tuan A. Vu	<b>Art Unit</b> 2193	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 22 August 2005.
- 2a) ☒ This action is FINAL. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-4 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-4 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

### **DETAILED ACTION**

1. This action is responsive to the Applicant's response filed 8/22/2005.

As indicated in Applicant's response, claim 1 has been amended. Claims 1-4 are pending in the office action.

#### ***Claim Rejections - 35 USC § 112***

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claim 1 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The term "external data" in claim 1 is a relative term which renders the claim indefinite. The term "external data" is not defined by the claim, the specification does not provide a standard for ascertaining the requisite degree, and one of ordinary skill in the art would not be reasonably apprised of the scope of the invention. In the specifications, pg. 6, there is mention of external to and from a main memory; and yet there is no specificity on what entities this externality of data is applicable to. There is no straightforward and precise teaching from the claim and the specifications as to enable one skill in the art to be apprised in terms of how this 'external' characteristic is implemented or defined with respect to the nearby entities recited in the claim, e.g. the processors, work station and the main module. In light of the best connotation gathered from the reading the disclosure, this 'external' limitation will be treated as though the data is external to the memory module.

#### ***Claim Rejections - 35 USC § 103***

Art Unit: 2193

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beausoliel et al., USPN: 5,551,013 (hereinafter Beausoliel) in view of Austin et al., USPN: 4,885,684 (hereinafter Austin); and further in view of Baker et al, USPN: 5,701,502 (hereinafter Baker).

As per claim 1, Beausoliel discloses a emulation engine comprised of a plurality of modules, a work station external to the plurality of modules, and a bus for transferring data between the work station and said modules (Fig. 1,8), each of such modules including a plurality of processors and a module main memory accessible for data transfers during an emulation by each of such processors (e.g. col. 3, line 55-65; col. 5, lines 32-35; Fig. 3A-B), each of such processors having a control store to store a programmable sequence of emulation steps that define logic states for its processor (e.g. col. 4, lines 1-5; col. 6, lines 2-10; Fig. 9A, 11A), a method to allow data transfers between such module main memory unit and work station without interrupting an in-progress emulation (*non-blocking* - col. 8, lines 16-56; Fig. 5,7), comprising:

compiling said programmable sequence of emulation steps to include, in at least one step, a blocking code, when the step is read from the control store (e.g. col. 10, line 64 to col. 11, line 29; *Control Store* - col. 5, line 39 to col. 6, line 18; Figs. 2-3 ), as a disable command between the plurality of said processors and main memory unit ( e.g. *active, inactive* - col. 6, lines 14-27, 28-59 );

Art Unit: 2193

decoding said blocking code (e.g. col. 12, Table 1- Note: decoding is inherent to encoding instructions; Fig. 2a-b; Fig. 3a-b – Note: control word field/bit extraction is equivalent to decoding instructions code); and

transferring external data between said work station and module main memory (e.g. *input to target system, emulation support facility*- col. 3, lines 28-37 ; *workstation* - Fig. 8 – Note: workstation is equivalent to host computer coordinating the support facilities functions operable on the processor modules, e.g. data or instructions transfer)

But Beausoliel does not specify a maintenance bus for transferring data between the workstation and processor modules. However, Beausoliel discloses latches and multiplexers to control data flow into or out of a given processor execution in the emulation logic; and path control bits multiplexing and changes for allowing concurrent data connection to support facilities in the emulation environment (e.g. col. 3, lines 28-37; col. 8, lines 16-56; Fig. 1, 2A, 3A-B) as well as recompiling of code modification as a result of errors (e.g. col. 10, lines 37-43). In view of the teaching by Beausoliel to address errors and to maintain support the emulation changes in code, to have facilities to control data flow from a processor ( see *Support facilities* - Fig. 8), a need to maintain the memory is suggested. Austin, in a network of processing units simulation environment with emulation, programmability/debug and interprocessor communication/scheduling and management support (see cols. 4-13; col. 17, lines 22-46) analogous to that of the emulating network of Beausoliel such as to use software program for deploying/supporting the functionality of the distributed data processing, discloses a maintenance bus for both the processing elements and for the supervisor unit (e.g. *EMB* and *TM bus* - col. 6, lines 4-26) for update storage operations, and other off-line functions. In view of the

Art Unit: 2193

suggested teachings from Beausoliel's and Austin's from above, it would have been obvious for one of ordinary skill in the art at the time the invention was made to provide a maintenance bus as taught by Austin to Beausoliel's concurrent support facilities operable within the emulation execution and operations by the processing units of Beausoliel's system because this would provide a specialized communicating channel, e.g. bus, to support the maintenance operations as suggested by Austin without affecting or interrupting the main data flow used by the processing units of the emulation by Beausoliel, thereby obviate bus/memory contention issues and enhance fault prevention, efficiency.

Nor does Beausoliel explicitly specify that in response to decoding blocking code, blocking transfers between the plurality of module processors and said module main memory units; and transferring data between the workstation and module memory units during such blocking from above; that said blocking code included in a emulation step thereby allowing external data to be transferred between said work station and said main memory; and blocking data transfers between said module processors and said main memory. However, Beausoliel's disable command from decoding the MOP bit teaches disabling access by the processors to specific parts of memory. This implicitly discloses a blocking of transfer between the processors and the memory during an emulation step.

Austin, in the system for supporting and deploying distributed processors via software as mentioned above, discloses the use of maintenance bus to support the operations of the processing modules (re col. 6, lines 4-26); and teaches, via the use of LOS ( Local Operating System), initialization, debug and error-related suspension operations within the emulating unit processors and/or recovery operations using such maintenance bus (e.g. col. 7, lines 51-63;

Art Unit: 2193

*suspension, minimal overhead* - col. 12, line 47 to col. 13, line 7; *maintenance bus, alternate paths* - col. 9, lines 3-33, 42-50). The use of maintenance facilities to allow recovery of faulty modules and to prevent contention of memory access during such recovery or maintenance tasks or the use of a protocol implemented via control bits to reject or block memory access to bus-connected processors or requests was a known concept as evidenced herein with Baker. Baker, also in an environment to use software or microcode to integrate functions of a target system emulating processors based on an existing processor operating system to achieve fault-tolerant system analogous to the integrated development network using code simulation by Baker, discloses a maintenance bus and halting of process communications between the faulty processing unit and the central operating system in response to decoding a request to handle a maintenance interrupt (e.g. *lock-step* -col. 119, line 4-53) and thereby invalidating of non-valid data transfer to memory (e.g. col. 127, lines 3-23). Hence, in view of above-mentioned Beausoliel's teachings on support facilities and memory code recompiling; and Austin's use of maintenance bus in conjunction with Baker's scheme to suspend servicing of slave processing units memory requests for synchronization tasks as a result of a maintenance interrupt detection as mentioned above, it would have been obvious for one of ordinary skill in the art at the time the invention was made to implement code instructions as taught by Beausoliel so that when a blocking code is decoded, the transferring of data between processors and their memory units is blocked so that the maintenance bus is utilized in order to allow data be transferred from the maintenance dedicated workstation onto the main memory unit just as suggested by Austin and by the recovery synchronization calls by Baker for the same reasons as mentioned above in the rejection of the maintenance bus limitation and also because this would avoid further

Art Unit: 2193

contamination/incoherency of the processor memory when external data are written to their memory units, i.e. synchronized maintenance process as taught by Baker so to prevent further damaging to a memory.

**As per claim 2**, Beausoliel does not specify the step of unblocking transfers between the module processors memory unit when such step is sequentially decoded next after a blocking code step. But in view of the combined teachings by Austin and Baker's teachings on suspending operations upon a failure detection (Austin: col. 7, lines 51-63; *suspension, minimal overhead* - col. 12, line 47 to col. 13, line 7; *maintenance bus, alternate paths* - col. 9, lines 3-33, 42-50; Baker: lock-step - col. 119, lines 12-24) as mentioned above, it would have also been obvious to add the step of unblocking after a decoded step of blocking has been completed to Beausoliel's repetitive emulation process because the motivation would be that once the maintenance steps as suggested by Austin are completed, it would be necessary to resume the data transfer and communication between the processors and their memory unit or bus system in Beausoliel's system in order to proceed on with the rest of the emulation.

**As per claim 3**, Beausoliel discloses a repetitive cycle in decoding and emulating the program code (e.g. col. 12, lines 5-13) but fails to specify that the transferring of data step between module memory and workstation is repetitive. But in view of the rejection of such data transferring step as addressed in claim 1, the repetition of such data transfer would be inferred from the combined teachings by Beausoliel (repetitive emulation decoding) and Austin combined with Baker (maintenance bus, LOS, suspension and initialization operations) and the rejection as set forth above.



As per claim 4, Beausoliel discloses a repetitive cycle in decoding and emulating the program code (e.g. col. 12, lines 5-13) but fails to specify that the transferring of data step between modules memory units and workstation being followed by an unblocking step is repetitive. This limitation corresponds to the same limitation of claim 3 above; hence, in view of the combined teachings by Austin/Beausoliel/Baker and the rejection as set forth in claims 2, and 3 above, this limitation would have been obvious because of the rationale as set forth therein.

### *Response to Arguments*

6. Applicant's arguments submitted 8/22/2005 with respect to claims 1-4 have been considered are not persuasive and in that respect, deserve some counter arguments.

(A) Applicants have submitted that the Office Action as per 5/20/05 has interpreted 'work station' to mean a module processor and Beausoliel, Austin, and Baker alone or in combination do not teach the limitations of claim 1 as amended to clarify on work station and external data ( Appl. Rmks, pg. 5, 1<sup>st</sup> 2<sup>nd</sup> para; pg. 6, 2<sup>nd</sup> para) and that Baker fails to disclose data transfer being blocked and allowing external data to be transferred between main memory and a work station located external to the modules ( Appl. Rmrks, pg 5 bottom, pg. 6 top). The Office action has interpreted blocking of data transfers as claimed only to the extent of closest interpretation possibilities permitted by the claim language. The blocking of data and the transfer of external data as recited amount to two main concepts: transfer between main memory and plurality of processors being blocked by a code; and such code allowing external data to be transferred between said work station and said memory module. In col. 10, line 64 to col. 11, Beausoliel's disabling command reads on denying --if not blocking -- access to certain memory part that would otherwise be accessible had the control word in the control store be different. First, the

Art Unit: 2193

limitation referred to as 'blocking transfer' is construed as a blocking that does not allow access of a main memory by the module processors for some memory type of operation ( e.g. data transfer) and the code decoding as taught by Beausoliel clearly reads on not enabling the module processors to perform *data transfers* to and from said memory module during any given *emulation step* involving the emulation context. Second, as for 'said blocking code ... includes the blocking code thereby allowing ... workstation ... main memory', it is noted that the whole phrase as claimed entails that a control work station is allowed to effect data between the main memory, as opposed to the rest of the plurality of processors which are being emulated in a particular execution stage. As perceived from Figure 8 by Beausoliel, a work station with support facilities to interface with the emulation engine, to compile code to provide power sequencing or to load program as presented entails a need a necessary stage as to recompile code and to reload the recompilation back into the emulation memory (see col. 3, lines 28-37; col. 8, lines 16-56; Fig. 1, 2A, 3A-B; col. 10, lines 37-43), i.e. a required stage where code must be readjusted in the emulation engine, at which moment emulation must be necessarily stopped for new compilation be re-integrated in the Emulation system memory. As well known in circuitry equipped with maintenance facilities with maintenance work station and dedicated bus therefore, Austin has been set forth for the rational as to render why a maintenance work station can communicate with a main memory for such endeavor. Austin has been thus brought in to provide such maintenance bus, and finally, Baker's special error readjusting commands are used in order to fulfill Beausoliel's need to maintain a memory during different emulation stages where code need to be recompiled to avert errors. The claim does not describe in more precise terms as to how such data transfer as recited would distinguish over the combined teachings by

Art Unit: 2193

Austin and Beausoliel in view of Baker's approach, i.e. why these teachings as put together would clearly fail to amount to the so-called limitation by which blocking of many processors and allowing only one processor to use the common memory is done. As construed by the claim, a maintenance bus is present in the course of stages of emulation, a bit detected so to allow only just one processor, or a maintenance dedicated machine to access a shared memory while preventing all target processors from accessing it due to a need for an maintenance operation that would require emulation to be interrupted. Based on Beausoliel's facilities and emulation system needs to update its compiled code, the motivation to provide a maintenance bus as via Austin and a special code by Baker to allow a process to correct memory contents while keeping other processes from further damaging it has been evident; and the reasons why the combination would have been obvious are set forth in the rejection. Besides, the 'external data' as claimed does not necessarily preclude data either from the workstation or from the module processors to be external data to the main memory so that the data are mutually exclusive of each other.

(B) Applicants have submitted that Austin and Baker in view of Beausoliel's emulation method relate to completely different and unrelated technologies (Appl. Rmks, pg. 6, bottom para; pg. 7, 1<sup>st</sup> para). There is no requirements in a USC 103(a) type rejection that the references being put together should come from exactly analogous fields of technologies; it is a particular aspect of a field or methodology for which a common endeavor is targeted, and the purpose in such endeavor being aimed at is what is at issue for providing a obviousness rationale, not the field within which such common endeavor and purpose is being set. The field is scheduling and controlling operations of multiprocessors environment, using a common memory accessible via a bus; and the endeavor for which a purpose is targeted is to provide a expedient and save way to

Art Unit: 2193

correct the content of such memory to prevent further damage, e.g. maintenance operation, and not indefinitely disrupting the operation of the multiprocessor system. For obviousness rejection, the claim has to be treated as a whole; and the claim conveys the following. A decoding of a code and a timely permitting of one control processor to access a common memory which is to be updated while excluding the rest of the system processors under control; and that amounts to what is perceived from the interpretation of the claimed 'maintenance bus', 'blocking code', and 'said blocking code and ... blocking transfers between the plurality of ... processors and thereby allowing ... workstation ... main memory' as mentioned above. Hence, the references by providing teachings combining a maintenance needs (Beausoliel), a bus (Austin) and exclusive access (Baker) for memory corrective needs have been set forward to provide the rationale as to why the claimed limitation as interpreted would have been obvious, notwithstanding the non-analogous fields of technologies as alleged by Applicants. If the claimed invention has to be treated as a whole such as has been shown above via broad reasonable interpretation, the rejection as set forth has to be treated in light of the combined teachings from all references including the inherent or suggested teachings thereof. Thus, arguing that the references come from disparate fields or technologies amount to mere allegations without showing why the combined teachings fail to teach the claimed invention as interpreted; even by exposing deficient teachings in each reference taken individually, which would have been inconclusive in showing why these teachings fail to distinguish over the claimed invention.

(C) The Applicant has submitted that Beausoliel and Austin sought to address different problems (Appl. Rmrks, pg. 7, top para). It appears from the argument that Beausoliel and Austin do not come from similar methodologies; and thereby there are insufficient grounds as to

Art Unit: 2193

why they can be combined. In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). Reinforcing what has been mentioned in section B above, it is further noted from the *Beausoliel* or *Austin* that an external control work station or central computer is there to provide control or resolving of issues encountered in the course of executing code and scheduling interaction between the plurality of processors being the target under control of such work station or central processors; and in the context of addressing operating problems in multi-processor emulation or multi-computer processing as seen in *Beausoliel* or *Austin* (or *Baker*), a need arises as to provide a channel ( e.g. maintenance facilities/bus) via which maintenance operations initiated from said control station can be effectuated; and both *Beausoliel* and *Austin* (and/or *Baker*) have been cited to show such necessity; *Austin* to provide recompiled corrective code; *Austin* to provide to support distributed compilation and control thereof, and *Baker* to provide update/purge unwanted memory data to make optimized use of resources.

In short, Applicants' argument about references not being analogous is not persuasive. That all the references presented should come from analogous fields of endeavor is not a strict requirement according to current rules and procedures governing USC 103(a) rejection. It is an application and/or useful methodology that needs to be addressed not the environment wherein

Art Unit: 2193

such methodology is being suggested or disclosed. Hence, by applying a motivation when combining the teachings from 3 references as set forth in the rejection, a prima facie case has been established; and the mere allegation that the references used come from 3 technologies does not amount to overcome the rationale as set forth in the rejection.

The claims will stand as set forth in the rejection.

***Conclusion***

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tuan A Vu whose telephone number is (272) 272-3735. The examiner can normally be reached on 8AM-4:30PM/Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kakali Chaki can be reached on (571)272-3719.


Art Unit: 2193

The fax phone number for the organization where this application or proceeding is assigned is (571) 273-3735 ( for non-official correspondence – please consult Examiner before using) or 571-273-8300 ( for official correspondence) or redirected to customer service at 571-272-3609.

Any inquiry of a general nature or relating to the status of this application should be directed to the TC 2100 Group receptionist: 571-272-2100.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

VAT  
November 5, 2005



TODD INGBERG  
PRIMARY EXAMINER